

#001 Q&A WEBINAR



Mateusz Furs, 09.09.2020

Mateusz Furs

**Concrete Injection Made Easy
podcast**

Inblock - injection service company

<http://inblock.com.pl/en/podcast>



meeting agenda

- I will answer some questions you have asked since the podcast launch
- Video compilation - open packers give you control
- The free copy of „10 Core Principles for Effective Crack Injection”
- Some questions from you (if we have enough time)

.

Q#1 Why is it worth to use packers with a smaller diameter i.e. about 10 mm instead of 13 mm??

A: The need to drill smaller holes

- faster to drill
- easier to pass steel reinforcements / rebar
> less likely to hit it
- drill bit > small drill bits are cheaper and you drill faster
- You destroy less concrete
- when you start injection, you need to fill the hole first before the resin will be driven into the crack - you'll use more resin because the hole is bigger {excel sheet}
- the longer holes the difference in consumption bigger
- smaller packers can be cheaper and lighter







Q# 2 Why to buy and install packers without nipples?

- the ability to de-air and dehydrate the crack
- reduce the internal pressure in the structure under repair
- gain insight and understanding about what's going on inside the structure
- monitor the flow of resin and so understand the degree to which the void is being filled

{video}





Q# 3 Why we should mix small amounts of resin?

- to reduce the risk of resin hardening inside the pump
- larger quantity of mixed resin will have a shorter pot life
- the viscosity of the mixed resin changes over time
- Keep in mind the size of the crack and void that needs to be filled



Plastic beverage bottles for hoppers

2K PU non-foaming low viscous resin

thread on this adapter fits Coca-Cola bottles



**Q# 4 Can I start to sell or just try/test your products on my market,
to become your reseller?**

It's not that easy for me, I'm an applicator, not a sales rep... however...



The free copy of „10 Core Principles for Effective Crack Injection”

(if there is a new version, you will get an upgrade)



Otwórze się bliżej rzyg. Półka w kierunku prostym rzyg przez co nie będzie szary na wyrażenie do rzyg rzyg. Błędnie będzie rzyg, który zapowiadają się o grubości naprawianego betonu.



meeting agenda

Summary

- I answered some questions you have asked since the podcast launch
- Video compilation - open packers give you control
- The free copy of „10 Core Principles for Effective Crack Injection”

#001 Q&A WEBINAR

**Thanks for being here with
me!**



Mateusz Furs, 09.09.2020